

# msaJustPyUI Module

`.justpy.pandas`

---

## Attributes

## Classes

### JustPyAccessor

#### Attributes

`df` instance-attribute

```
df = df
```

#### Functions

##### `__init__`

```
__init__(df, **kwargs)
```

##### `ag_grid`

```
ag_grid(**kwargs)
```

##### `make_pairs_list` staticmethod

```
make_pairs_list(x_data, y_data)
```

##### `plot`

```
plot(x, y, **kwargs)
```

##### `table`

```
table(**kwargs)
```

## LinkedChartGrid

Bases: `Div`

### Attributes

`chart` instance-attribute

```
chart = df.jp.plot(  
    x,  
    y,  
    a=self,  
    classes="m-2 p-2 border",  
    kind=self.kind,  
    stacking=self.stacking,  
    title=self.title,  
    subtitle=self.subtitle,  
)
```

`df` instance-attribute

```
df = df
```

`grid` instance-attribute

```
grid = df.jp.ag_grid(a=self)
```

`kind` instance-attribute

```
kind = kwargs.get('kind', 'column')
```

`stacking` instance-attribute

```
stacking = kwargs.get('stacking', '')
```

`subtitle` instance-attribute

```
subtitle = kwargs.get('subtitle', '')
```

`title` instance-attribute

```
title = kwargs.get('title', '')
```

X instance-attribute

```
x = x
```

y instance-attribute

```
y = y
```

## Functions

### `__init__`

```
__init__(df, x, y, **kwargs)
```

`grid_change` staticmethod

```
grid_change(msg)
```

## Functions

### `read_csv_from_string`

```
read_csv_from_string(csv_string, *args)
```

---

Last update: September 28, 2022

Created: September 28, 2022